

電梯編號EL1 (英華臺至般咸道)

2014年7月至2017年9月維修記錄總表

每日運作時間: 上午六時 至 晚上十二時十五分

例行檢查: 星期二, 下午三時十五分 至 下午四時正

故障日期	故障時間	電梯編號	故障原因	維修時間 (分鐘)	總維修時間 (分鐘)
16-08-2014	19:46 to 21:15	EL1	雜物卡進電梯	89	2133
23-08-2014	10:28 to 16:24	EL1	維修 / 更換電氣或安全設備	356	
28-08-2014	08:50 to 13:29	EL1	維修 / 更換電梯機械組件	279	
05-10-2014	6:35 to 8:05	EL1	"緊急停掣"被按	90	
07-10-2014	7:15 to 11:18	EL1	維修 / 更換電梯機械組件	243	
16-10-2014	8:02 to 17:21	EL1	維修 / 更換電梯機械組件	559	
17-10-2014	6:45 to 8:30	EL1	"緊急停掣"被按	105	
01-11-2014	6:37 to 13:29	EL1	檢查 / 調校電梯機械組件	412	
07-01-2015	6:51 to 7:47	EL1	"緊急停掣"被按	56	
06-02-2015	10:20 to 11:00	EL1	"緊急停掣"被按	40	
15-02-2015	6:00 to 0:15	EL1	檢查 / 調校電梯機械組件	1515	
16-02-2015	6:00 to 13:00				
02-05-2015	23:08 to 23:48	EL1	雜物卡進電梯	40	
22-05-2015	6:45 to 7:43	EL1	雜物卡進電梯	58	
08-06-2015	7:00 to 9:30	EL1	"緊急停掣"被按	150	
09-06-2015	6:50 to 8:06	EL1	檢查 / 調校電氣或安全設備	76	
10-06-2015	6:53 to 11:20	EL1	維修 / 更換電梯機械組件	267	
11-06-2015	6:32 to 16:55	EL1	維修 / 更換電氣或安全設備	623	
14-06-2015	7:02 to 10:00	EL1	檢查 / 調校電氣或安全設備	178	
19-06-2015	6:37 to 8:58	EL1	"緊急停掣"被按	141	
27-06-2015	6:33 to 9:00	EL1	"緊急停掣"被按	147	
28-06-2015	6:59 to 8:03	EL1	雜物卡進電梯	64	
12-07-2015	6:40 to 7:24	EL1	"緊急停掣"被按	44	
16-07-2015	6:35 to 8:13	EL1	"緊急停掣"被按	98	
22-07-2015	12:03 to 24:15	EL1	其他	1602	
23-07-2015	6:00 to 20:30	EL1			
24-07-2015	6:47 to 7:23	EL1	"緊急停掣"被按	36	
29-07-2015	12:26 to 24:15	EL1			
30-07-2015	6:00 to 16:10	EL1	維修 / 更換電梯機械組件	1319	
30-07-2015	17:38 to 18:39	EL1	雜物卡進電梯	61	
30-07-2015	19:10 to 24:15	EL1	維修 / 更換電梯機械組件	305	
01-08-2015	6:38 to 8:06	EL1	"緊急停掣"被按	88	
05-08-2015	10:40 to 13:34	EL1	維修 / 更換電梯機械組件	174	
07-08-2015	9:56 to 11:47	EL1	雜物卡進電梯	111	
08-08-2015	12:55 to 15:43	EL1	維修 / 更換電梯機械組件	168	
17-09-2015	6:32 to 7:39	EL1	維修 / 更換電梯機械組件	67	
03-10-2015	6:41 to 8:10	EL1	維修 / 更換電氣或安全設備	89	
03-10-2015	14:16 to 16:15	EL1	"緊急停掣"被按	119	
08-10-2015	6:47 to 8:40	EL1	維修 / 更換電梯機械組件	113	
09-10-2015	6:30 to 8:06	EL1	"緊急停掣"被按	96	
16-10-2015	6:38 to 12:28	EL1	檢查 / 調校電氣或安全設備	350	
17-10-2015	6:53 to 12:51	EL1	檢查 / 調校電氣或安全設備	358	
20-10-2015	23:05 to 0:32	EL1	檢查 / 調校電氣或安全設備	87	
21-10-2015	6:55 to 8:11	EL1	"緊急停掣"被按	76	
21-10-2015	8:25 to 9:22	EL1	維修 / 更換電氣或安全設備	57	
24-10-2015	6:36 to 13:17	EL1	維修 / 更換電梯機械組件	401	
04-11-2015	6:35 to 8:26	EL1	"緊急停掣"被按	111	
20-11-2015	6:18 to 8:02	EL1	"緊急停掣"被按	104	
24-11-2015	6:38 to 7:30	EL1	"緊急停掣"被按	52	
27-11-2015	8:15 to 9:35	EL1	檢查 / 調校電氣或安全設備	80	
06-12-2015	1:36 to 2:29	EL1	維修 / 更換電氣或安全設備	53	
13-12-2015	7:30 to 7:30	EL1	檢查 / 調校電氣或安全設備	0	
21-12-2015	9:06 to 9:56	EL1	"緊急停掣"被按	50	
11-01-2016	6:43 to 7:53	EL1	"緊急停掣"被按	70	
24-01-2016	22:38 to 23:17	EL1	檢查 / 調校電氣或安全設備	39	
01-03-2016	6:40 to 8:26	EL1	"緊急停掣"被按	106	
12-03-2016	15:50 to 18:00	EL1	檢查 / 調校電氣或安全設備	130	
04-06-2016	6:37 to 8:16	EL1	檢查 / 調校電氣或安全設備	99	
17-06-2016	10:45 to 24:15	EL1	維修 / 更換電梯機械組件	4560	
18-06-2016	6:00 to 24:15				
19-06-2016	6:00 to 24:15				
20-06-2016	6:00 to 24:15				
21-06-2016	6:00 to 13:45				
24-07-2016	7:02 to 7:40	EL1	檢查 / 調校電氣或安全設備	38	
28-07-2016	6:30 to 8:16	EL1	檢查 / 調校電氣或安全設備	106	
03-08-2016	7:15 to 8:33	EL1	"緊急停掣"被按	78	
10-08-2016	6:35 to 8:05	EL1	檢查 / 調校電氣或安全設備	90	
13-08-2016	6:45 to 8:10	EL1	"緊急停掣"被按	85	
16-08-2016	6:51 to 9:30	EL1	檢查 / 調校電氣或安全設備	159	
27-08-2016	6:35 to 8:10	EL1	檢查 / 調校電氣或安全設備	95	
07-09-2016	6:00 to 7:35	EL1	檢查 / 調校電氣或安全設備	95	
08-09-2016	6:45 to 8:36	EL1	檢查 / 調校電氣或安全設備	111	
08-09-2016	18:00 to 21:00	EL1	維修 / 更換電氣或安全設備	180	
10-09-2016	8:00 to 14:53	EL1	檢查 / 調校電氣或安全設備	413	
19-09-2016	11:25 to 15:58	EL1	維修 / 更換電梯機械組件	273	
27-09-2016	6:48 to 10:00	EL1	維修 / 更換電梯機械組件	192	
01-10-2016	20:51 to 23:00	EL1	維修 / 更換電梯機械組件	129	

9624

7968



電梯編號EL1 (英華臺至般咸道)

2014年7月至2017年9月維修記錄總表

25-11-2016	11:26	to	17:23	EL1	維修 / 更換電梯機械組件	357	2003
16-12-2016	7:25	to	8:36	EL1	"緊急停掣"被按	71	
28-12-2016	13:53	to	18:07	EL1	維修 / 更換電梯機械組件	254	
30-12-2016	6:57	to	7:40	EL1	檢查 / 調校電氣或安全設備	43	
31-12-2016	7:20	to	10:35	EL1	"緊急停掣"被按	195	
04-01-2017	7:26	to	9:35	EL1	"緊急停掣"被按	129	
15-01-2017	7:26	to	11:08	EL1	檢查 / 調校電氣或安全設備	222	
10-03-2017	8:13	to	10:47	EL1	"緊急停掣"被按	154	
11-03-2017	8:45	to	10:25	EL1	檢查 / 調校電氣或安全設備	100	
23-03-2017	15:24	to	16:54	EL1	維修 / 更換電梯機械組件	90	
24-03-2017	11:30	to	14:00	EL1	檢查 / 調校電氣或安全設備	150	
24-04-2017	13:55	to	15:11	EL1	檢查 / 調校電氣或安全設備	76	
28-04-2017	7:13	to	8:00	EL1	"緊急停掣"被按	47	
11-05-2017	13:35	to	14:33	EL1	檢查 / 調校電氣或安全設備	58	
12-05-2017	13:27	to	13:56	EL1	"緊急停掣"被按	29	
29-07-2017	06:45	to	08:50	EL1	檢查、維修電梯控制線路	125	
31-07-2017	06:47	to	08:00	EL1	雜物卡進電梯	73	
10-08-2017	08:02	to	19:30	EL1	檢查 / 調校電梯機械組件	688	
23-08-2017	17:38	to	18:40	EL1	雜物卡進電梯	62	

維修時間(分鐘)	次數
0-30	2
31-60	15
61-240	49
241-1095	15
>1095	4

60分鐘 = 1小時
 240分鐘 = 4小時
 1095分鐘 = 1日運作時間



電梯編號EL2 (英華臺至般咸道)

2014年7月至2017年9月維修記錄總表

每日運作時間：上午六時至晚上十二時十五分

例行檢查：星期二：下午三時十五分至下午四時正

故障日期	故障時間	電梯編號	故障原因	維修時間(分鐘)	總維修時間(分鐘)
01-08-2014	22:03 to 23:30	EL2	雜物卡進電梯	87	2699
04-08-2014	12:05 to 13:20	EL2	其他	75	
12-08-2014	22:32 to 23:40	EL2	維修 / 更換電梯機械組件	68	
13-08-2014	0:55 to 1:30	EL2	維修 / 更換電梯機械組件	35	
26-08-2014	6:51 to 9:05	EL2	"緊急停掣"被按	134	
07-09-2014	16:40 to 18:39	EL2	"緊急停掣"被按	119	
03-10-2014	11:55 to 14:15	EL2	雜物卡進電梯	140	
05-10-2014	10:27 to 11:43	EL2	"緊急停掣"被按	76	
10-10-2014	20:38 to 22:53	EL2	維修 / 更換電梯機械組件	135	
13-10-2014	21:21 to 23:00	EL2	"緊急停掣"被按	99	
20-10-2014	18:31 to 19:52	EL2	雜物卡進電梯	81	
07-11-2014	6:52 to 8:30	EL2	"緊急停掣"被按	98	
30-11-2014	15:46 to 18:45	EL2	雜物卡進電梯	179	
13-12-2014	11:15 to 12:08	EL2	雜物卡進電梯	53	
14-12-2014	8:26 to 24:00	EL2	檢查 / 調校電氣或安全設備	1247	
15-12-2014	6:30 to 11:43	EL2	檢查 / 調校電氣或安全設備	1247	
29-12-2014	13:07 to 14:20	EL2	雜物卡進電梯	73	
05-01-2015	7:52 to 9:41	EL2	"緊急停掣"被按	109	
10-01-2015	17:59 to 18:54	EL2	雜物卡進電梯	55	
25-02-2015	16:09 to 17:35	EL2	檢查 / 調校電氣或安全設備	86	
14-03-2015	20:03 to 21:46	EL2	檢查 / 調校電氣或安全設備	103	
25-03-2015	13:35 to 18:10	EL2	檢查 / 調校電氣或安全設備	275	
09-04-2015	15:00 to 17:21	EL2	檢查 / 調校電氣或安全設備	141	
14-04-2015	17:41 to 18:22	EL2	雜物卡進電梯	41	
21-04-2015	23:04 to 24:00	EL2	檢查 / 調校電氣或安全設備	56	
08-05-2015	19:36 to 21:40	EL2	雜物卡進電梯	124	
19-05-2015	20:00 to 22:45	EL2	檢查 / 調校電氣或安全設備	165	
28-05-2015	19:57 to 21:31	EL2	檢查 / 調校電氣或安全設備	94	
18-06-2015	6:48 to 7:32	EL2	"緊急停掣"被按	44	
24-06-2015	10:18 to 14:04	EL2	維修 / 更換電梯機械組件	226	
26-06-2015	17:51 to 19:02	EL2	雜物卡進電梯	71	
27-06-2015	6:33 to 9:18	EL2	維修 / 更換電氣或安全設備	165	
02-07-2015	22:00 to 22:45	EL2	雜物卡進電梯	45	
11-07-2015	19:21 to 21:45	EL2	雜物卡進電梯	144	
24-07-2015	21:37 to 22:32	EL2	雜物卡進電梯	55	
22-07-2015	12:03 to 24:15	EL2	其他	1602	
23-07-2015	6:00 to 20:30	EL2	其他	1602	
28-07-2015	19:44 to 22:05	EL2	雜物卡進電梯	141	
01-08-2015	16:07 to 17:55	EL2	雜物卡進電梯	108	
15-08-2015	6:37 to 8:46	EL2	檢查 / 調校電氣或安全設備	129	
22-08-2015	9:43 to 10:41	EL2	檢查 / 調校電氣或安全設備	58	
22-08-2015	16:51 to 17:39	EL2	維修 / 更換電氣或安全設備	48	
25-08-2015	5:40 to 0:15	EL2	維修 / 更換電氣或安全設備	1115	
26-08-2015	6:00 to 15:23	EL2	維修 / 更換電氣或安全設備	563	
10-10-2015	20:58 to 22:24	EL2	"緊急停掣"被按	86	
31-10-2015	6:40 to 7:20	EL2	檢查 / 調校電氣或安全設備	40	
09-11-2015	16:35 to 17:31	EL2	檢查 / 調校電氣或安全設備	56	
10-11-2015	22:05 to 23:10	EL2	檢查 / 調校電氣或安全設備	65	
15-11-2015	11:12 to 12:06	EL2	"緊急停掣"被按	54	
16-11-2015	18:29 to 20:24	EL2	檢查 / 調校電氣或安全設備	115	
24-11-2015	23:09 to 23:43	EL2	"緊急停掣"被按	34	
29-11-2015	12:33 to 13:20	EL2	"緊急停掣"被按	47	
04-12-2015	12:31 to 14:26	EL2	維修 / 更換電氣或安全設備	115	
05-12-2015	17:50 to 18:46	EL2	檢查 / 調校電氣或安全設備	56	
07-12-2015	7:23 to 8:07	EL2	維修 / 更換電氣或安全設備	44	
09-12-2015	7:50 to 8:40	EL2	檢查 / 調校電氣或安全設備	50	
11-12-2015	6:59 to 8:00	EL2	"緊急停掣"被按	61	
15-12-2015	6:34 to 7:10	EL2	檢查 / 調校電氣或安全設備	36	
24-12-2015	14:13 to 16:35	EL2	檢查 / 調校電氣或安全設備	142	
26-12-2015	11:30 to 14:08	EL2	檢查 / 調校電氣或安全設備	158	
29-12-2015	19:44 to 21:00	EL2	維修 / 更換電氣或安全設備	76	
07-01-2016	13:18 to 15:06	EL2	檢查 / 調校電氣或安全設備	108	
07-01-2016	21:24 to 22:12	EL2	"緊急停掣"被按	48	
08-01-2016	19:10 to 21:07	EL2	檢查 / 調校電氣或安全設備	117	
09-01-2016	11:52 to 13:40	EL2	檢查 / 調校電氣或安全設備	108	
09-01-2016	18:31 to 20:40	EL2	檢查 / 調校電氣或安全設備	129	
09-01-2016	22:00 to 23:08	EL2	"緊急停掣"被按	68	
14-01-2016	20:59 to 21:48	EL2	檢查 / 調校電氣或安全設備	49	
19-01-2016	22:47 to 23:31	EL2	檢查 / 調校電氣或安全設備	44	
27-01-2016	21:50 to 23:10	EL2	檢查 / 調校電氣或安全設備	80	
29-01-2016	7:58 to 10:22	EL2	維修 / 更換電梯機械組件	144	
29-01-2016	19:04 to 21:10	EL2	檢查 / 調校電氣或安全設備	126	
31-01-2016	22:27 to 23:17	EL2	檢查 / 調校電氣或安全設備	50	
11-02-2016	20:30 to 24:00	EL2	檢查 / 調校電氣或安全設備	2400	
12-02-2016	6:00 to 24:00	EL2	維修 / 更換電梯機械組件	1960	
13-02-2016	6:00 to 17:10	EL2	檢查 / 調校電氣或安全設備	1710	
17-02-2016	6:35 to 6:57	EL2	"緊急停掣"被按	22	
18-02-2016	22:21 to 23:05	EL2	檢查 / 調校電氣或安全設備	44	
28-02-2016	7:01 to 8:25	EL2	"緊急停掣"被按	84	
28-02-2016	17:01 to 18:05	EL2	檢查 / 調校電氣或安全設備	64	
02-03-2016	14:46 to 15:26	EL2	檢查 / 調校電氣或安全設備	40	
07-03-2016	11:03 to 13:05	EL2	檢查 / 調校電氣或安全設備	122	

2699

6998

電梯編號EL2 (英華臺至般咸道)

2014年7月至2017年9月維修記錄總表

10-03-2016	6:30	to	8:00	EL2	"緊急停掣"被按	90
12-03-2016	16:07	to	18:15	EL2	檢查 / 調校電氣或安全設備	128
16-03-2016	12:54	to	14:50	EL2	檢查 / 調校電氣或安全設備	116
30-03-2016	19:30	to	21:28	EL2	檢查 / 調校電氣或安全設備	118
07-04-2016	6:47	to	7:40	EL2	維修 / 更換電氣或安全設備	53
09-04-2016	6:28	to	7:20	EL2	"緊急停掣"被按	52
16-04-2016	6:35	to	7:23	EL2	維修 / 更換電氣或安全設備	48
17-04-2016	6:44	to	8:25	EL2	檢查 / 調校電氣或安全設備	101
17-04-2016	11:22	to	12:26	EL2	檢查 / 調校電氣或安全設備	64
17-04-2016	17:36	to	18:55	EL2	檢查 / 調校電氣或安全設備	79
18-04-2016	7:13	to	8:06	EL2	"緊急停掣"被按	53
21-04-2016	19:36	to	21:26	EL2	檢查 / 調校電氣或安全設備	110
25-04-2016	8:57	to	10:26	EL2	檢查 / 調校電氣或安全設備	89
25-04-2016	12:43	to	14:16	EL2	檢查 / 調校電氣或安全設備	93
28-04-2016	13:31	to	15:00	EL2	"緊急停掣"被按	89
07-05-2016	20:13	to	21:14	EL2	檢查 / 調校電氣或安全設備	61
08-05-2016	9:35	to	11:28	EL2	檢查 / 調校電氣或安全設備	113
12-05-2016	7:08	to	8:38	EL2	檢查 / 調校電氣或安全設備	90
12-05-2016	19:40	to	21:20	EL2	維修 / 更換電梯機械組件	100
13-05-2016	16:49	to	17:42	EL2	檢查 / 調校電氣或安全設備	53
13-05-2016	19:27	to	20:50	EL2	"緊急停掣"被按	83
14-05-2016	7:15	to	10:31	EL2	"緊急停掣"被按	196
23-05-2016	6:55	to	7:40	EL2	檢查 / 調校電氣或安全設備	45
24-05-2016	21:23	to	22:05	EL2	檢查 / 調校電氣或安全設備	42
25-05-2016	19:14	to	21:01	EL2	檢查 / 調校電氣或安全設備	107
30-05-2016	6:45	to	8:05	EL2	檢查 / 調校電氣或安全設備	80
31-05-2016	6:45	to	7:35	EL2	檢查 / 調校電氣或安全設備	50
06-06-2016	15:35	to	17:42	EL2	檢查 / 調校電氣或安全設備	127
08-06-2016	14:37	to	17:10	EL2	檢查 / 調校電氣或安全設備	153
08-06-2016	22:21	to	23:04	EL2	檢查 / 調校電氣或安全設備	43
10-06-2016	6:51	to	8:26	EL2	檢查 / 調校電氣或安全設備	95
13-06-2016	14:45	to	17:21	EL2	檢查 / 調校電氣或安全設備	156
30-07-2016	6:00	to	7:00	EL2	檢查 / 調校電氣或安全設備	60
31-07-2016	6:55	to	24:15	EL2	維修 / 更換電氣或安全設備	1040
01-08-2016	6:00	to	16:30			
05-08-2016	17:06	to	17:35	EL2	檢查 / 調校電氣或安全設備	29
11-08-2016	21:32	to	22:30	EL2	檢查 / 調校電氣或安全設備	58
13-08-2016	6:45	to	8:10	EL2	"緊急停掣"被按	85
14-08-2016	19:45	to	20:45	EL2	檢查 / 調校電氣或安全設備	60
25-08-2016	6:57	to	8:02	EL2	檢查 / 調校電氣或安全設備	65
26-08-2016	6:00	to	6:25	EL2	檢查 / 調校電氣或安全設備	25
29-08-2016	15:35	to	17:53	EL2	檢查 / 調校電氣或安全設備	138
03-09-2016	18:45	to	21:35	EL2	雜物卡進電梯	170
04-09-2016	12:52	to	14:00	EL2	檢查 / 調校電氣或安全設備	68
21-09-2016	14:59	to	17:00	EL2	檢查 / 調校電氣或安全設備	121
22-09-2016	20:51	to	21:43	EL2	"緊急停掣"被按	52
07-10-2016	16:54	to	19:30	EL2	維修 / 更換電梯機械組件	156
09-10-2016	7:03	to	9:00	EL2	維修 / 更換電梯機械組件	117
13-10-2016	17:50	to	19:44	EL2	雜物卡進電梯	114
15-10-2016	22:50	to	23:24	EL2	雜物卡進電梯	34
19-10-2016	6:47	to	7:45	EL2	檢查 / 調校電氣或安全設備	58
20-10-2016	6:50	to	8:30	EL2	雜物卡進電梯	100
22-10-2016	17:30	to	19:49	EL2	雜物卡進電梯	139
27-10-2016	7:26	to	8:30	EL2	檢查 / 調校電氣或安全設備	64
04-11-2016	6:40	to	8:15	EL2	雜物卡進電梯	95
24-11-2016	6:53	to	9:20	EL2	雜物卡進電梯	147
20-12-2016	6:35	to	8:17	EL2	雜物卡進電梯	102
21-12-2016	6:47	to	7:38	EL2	雜物卡進電梯	51
26-12-2016	9:52	to	11:00	EL2	雜物卡進電梯	68
30-12-2016	19:18	to	20:49	EL2	雜物卡進電梯	91
02-01-2017	17:17	to	18:43	EL2	"緊急停掣"被按	86
15-01-2017	16:49	to	18:10	EL2	雜物卡進電梯	81
19-01-2017	18:45	to	20:00	EL2	雜物卡進電梯	75
29-01-2017	14:25	to	15:56	EL2	雜物卡進電梯	91
11-02-2017	6:47	to	8:25	EL2	"緊急停掣"被按	98
01-03-2017	6:48	to	8:22	EL2	雜物卡進電梯	94
02-03-2017	6:45	to	7:33	EL2	維修 / 更換電梯機械組件	48
10-03-2017	8:00	to	9:50	EL2	維修 / 更換電梯機械組件	110
13-03-2017	6:54	to	7:32	EL2	雜物卡進電梯	38
18-03-2017	19:19	to	20:30	EL2	雜物卡進電梯	71
21-03-2017	19:08	to	19:48	EL2	雜物卡進電梯	40
22-03-2017	12:31	to	14:03	EL2	雜物卡進電梯	92
29-03-2017	22:07	to	22:45	EL2	雜物卡進電梯	38
30-03-2017	19:15	to	21:04	EL2	雜物卡進電梯	109
05-04-2017	6:54	to	7:33	EL2	雜物卡進電梯	39
10-04-2017	7:27	to	8:33	EL2	雜物卡進電梯	66
10-04-2017	19:06	to	20:06	EL2	雜物卡進電梯	60
16-04-2017	7:13	to	8:00	EL2	雜物卡進電梯	47
26-04-2017	18:23	to	20:18	EL2	雜物卡進電梯	115
29-04-2017	8:29	to	9:52	EL2	雜物卡進電梯	83
02-05-2017	6:46	to	7:32	EL2	檢查 / 調校電氣或安全設備	46
03-05-2017	21:41	to	22:17	EL2	檢查 / 調校電氣或安全設備	36
06-05-2017	6:19	to	8:12	EL2	"緊急停掣"被按	113
08-05-2017	7:49	to	11:44	EL2	檢查 / 調校電氣或安全設備	235
18-05-2017	8:05	to	9:09	EL2	檢查 / 調校電氣或安全設備	64
23-05-2017	19:38	to	20:19	EL2	檢查 / 調校電氣或安全設備	41

9591

電梯編號EL2 (英華臺至般咸道)



2014年7月至2017年9月維修記錄總表

25-05-2017	6:52	to	9:07	EL2	"緊急停掣"被按	135
28-05-2017	6:47	to	8:10	EL2	雜物卡進電梯	83
02-06-2017	6:46	to	8:20	EL2	雜物卡進電梯	94
04-06-2017	6:48	to	7:45	EL2	維修 / 更換電梯機械組件	57
12-06-2017	7:48	to	8:56	EL2	雜物卡進電梯	68
19-06-2017	6:50	to	7:36	EL2	維修 / 更換電梯機械組件	46
06-07-2017	22:22	to	22:55	EL2	雜物卡進電梯	33
08-07-2017	06:46	to	07:32	EL2	更換損壞梯級纜	46
11-07-2017	06:45	to	09:52	EL2	雜物卡進電梯	187
19-07-2017	07:01	to	08:05	EL2	雜物卡進電梯	64
22-07-2017	06:45	to	08:15	EL2	雜物卡進電梯	90
23-07-2017	06:50	to	08:00	EL2	"緊急停掣"被按	70
28-07-2017	06:40	to	07:45	EL2	檢查、維修電梯控制線路	65
29-07-2017	06:40	to	07:45	EL2	檢查、維修電梯控制線路	65
03-08-2017	06:30	to	08:00	EL2	雜物卡進電梯	90
04-08-2017	08:15	to	08:56	EL2	雜物卡進電梯	41
05-08-2017	06:55	to	07:55	EL2	檢查、維修電梯控制線路	60
06-08-2017	06:47	to	08:09	EL2	"緊急停掣"被按	82
19-08-2017	16:50	to	18:32	EL2	雜物卡進電梯	102
20-08-2017	07:00	to	07:40	EL2	雜物卡進電梯	40
23-08-2017	17:38	to	18:50	EL2	雜物卡進電梯	72
25-08-2017	06:50	to	07:30	EL2	"緊急停掣"被按	40
26-08-2017	06:51	to	08:12	EL2	檢查 / 調校電氣或安全設備	81
03-09-2017	08:32	to	09:32	EL2	檢查 / 調校電梯機械組件	60
09-09-2017	07:15	to	07:40	EL2	"緊急停掣"被按	25
14-09-2017	06:48	to	08:55	EL2	雜物卡進電梯	127
15-09-2017	12:23	to	13:40	EL2	雜物卡進電梯	77
16-09-2017	06:50	to	08:25	EL2	雜物卡進電梯	95
19-09-2017	07:27	to	10:12	EL2	"緊急停掣"被按	165
23-09-2017	06:00	to	08:52	EL2	檢查 / 調校電氣或安全設備	172

4448

維修時間(分鐘)	次數
0-30	3
31-60	53
61-240	106
241-1095	3
>1095	4

60分鐘 = 1小時
240分鐘 = 4小時
1095分鐘 = 1日運作時間



電梯編號EL3 (高街至英華臺)

2014年7月至2017年9月維修記錄總表

例行檢查：星期二，下午三時十五分 至 下午四時正

例行檢查：星期二，晚上十一時 至 午夜十二時

故障日期	故障時間		電梯編號	故障原因	維修時間 (分鐘)	總維修時間 (分鐘)
01-08-2014	06:44	to 07:41	EL3	檢查 / 調校電梯機械組件	57	768
08-08-2014	22:00	to 23:38	EL3	雜物卡進電梯	98	
16-08-2014	06:33	to 07:35	EL3	維修 / 更換電梯機械組件	62	
20-08-2014	07:47	to 13:33	EL3	維修 / 更換電梯機械組件	346	
29-08-2014	07:04	to 08:20	EL3	"緊急停掣"被按	76	
04-10-2014	6:33	to 8:42	EL3	"緊急停掣"被按	129	
08-01-2015	6:48	to 10:31	EL3	檢查 / 調校電梯機械組件	223	1094
14-02-2015	12:39	to 17:07	EL3	檢查 / 調校電氣或安全設備	268	
11-04-2015	6:04	to 10:00	EL3	檢查 / 調校電梯機械組件	236	
21-05-2015	6:33	to 8:16	EL3	"緊急停掣"被按	103	
27-05-2015	9:11	to 10:00	EL3	雜物卡進電梯	49	
24-07-2015	13:17	to 15:11	EL3	檢查 / 調校電氣或安全設備	114	
11-08-2015	23:26	to 23:40	EL3	"緊急停掣"被按	14	
28-10-2015	6:35	to 7:15	EL3	"緊急停掣"被按	40	
24-12-2015	21:58	to 22:45	EL3	檢查 / 調校電氣或安全設備	47	3540
09-01-2016	6:50	to 8:33	EL3	檢查 / 調校電氣或安全設備	103	
08-03-2016	20:39	to 21:30	EL3	檢查 / 調校電氣或安全設備	51	
30-03-2016	17:54	to 18:40	EL3	檢查 / 調校電氣或安全設備	46	
09-04-2016	7:10	to 8:30	EL3	"緊急停掣"被按	80	
12-04-2016	7:11	to 8:56	EL3	檢查 / 調校電氣或安全設備	105	
20-05-2016	16:17	to 17:10	EL3	雜物卡進電梯	53	
04-06-2016	13:49	to 17:51	EL3	維修 / 更換電梯機械組件	242	
06-06-2016	18:38	to 24:15	EL3	維修 / 更換電梯機械組件	337	
07-06-2016	6:00	to 10:00		維修 / 更換電梯機械組件	94	
11-06-2016	20:36	to 22:10	EL3	維修 / 更換電梯機械組件	94	
13-06-2016	7:00	to 24:15	EL3	維修 / 更換電梯機械組件	1455	
14-06-2016	6:00	to 13:00		維修 / 更換電梯機械組件	362	
20-08-2016	10:45	to 16:47	EL3	維修 / 更換電氣或安全設備	94	
07-09-2016	12:11	to 13:45	EL3	檢查 / 調校電氣或安全設備	94	
13-10-2016	7:00	to 14:00	EL3	其他	420	
15-10-2016	6:32	to 8:10	EL3	檢查 / 調校電氣或安全設備	98	
19-01-2017	6:30	to 8:15	EL3	"緊急停掣"被按	105	1027
02-03-2017	8:18	to 9:54	EL3	"緊急停掣"被按	96	
03-05-2017	7:16	to 8:16	EL3	"緊急停掣"被按	60	
10-06-2017	6:48	to 7:33	EL3	"緊急停掣"被按	45	
29-06-2017	6:55	to 8:20	EL3	"緊急停掣"被按	85	
20-07-2017	11:16	to 12:07	EL3	更換損壞梯級轆	51	
29-07-2017	06:40	to 07:45	EL3	檢查 / 調校電氣或安全設備	65	
30-07-2017	22:10	to 23:11	EL3	"緊急停掣"被按	61	
31-07-2017	06:47	to 09:00	EL3	雜物卡進電梯	133	
06-08-2017	06:44	to 08:48	EL3	"緊急停掣"被按	124	
23-09-2017	06:00	to 08:52	EL3	"緊急停掣"被按	172	
30-09-2017	07:20	to 07:50	EL3	"緊急停掣"被按	30	



維修時間(分鐘)	次數
0-30	1
31-60	9
61-240	17
241-1095	6
>1095	1

60分鐘 = 1小時

240分鐘 = 4小時

1095分鐘 = 1日運作時間

電梯編號EL3 (高街至英華臺)
2014年7月至2017年9月維修記錄總表



電梯編號EL4 (餘樂里至高街)

2014年7月至2017年9月維修記錄總表

每日運作時間：上午六時至晚上十二時十五分

例行檢查：星期二，下午三時十五分至下午四時正



故障日期	故障時間		電梯編號	故障原因	維修時間 (分鐘)	總維修時間 (分鐘)
08-09-2014	06:09	to 07:50	EL4	檢查 / 調校電梯機械組件	101	334
06-10-2014	11:46	to 15:39	EL4	"緊急停掣"被按	233	
27-01-2015	19:15	to 24:00	EL4	其他	285	7091
13-02-2015	6:48	to 17:07	EL4	維修 / 更換電梯機械組件	619	
16-02-2015	6:49	to 14:51	EL4	維修 / 更換電氣或安全設備	482	
17-02-2015	6:49	to 7:20	EL4	維修 / 更換電梯機械組件	31	
11-03-2015	14:06	to 19:32	EL4	雜物卡進電梯	326	
09-04-2015	7:05	to 10:58	EL4	維修 / 更換電梯機械組件	233	
11-04-2015	6:04	to 11:46	EL4	維修 / 更換電梯機械組件	342	
27-01-2015	19:15	to 24:00	EL4	其他	285	
13-02-2015	6:48	to 17:07	EL4	維修 / 更換電梯機械組件	619	
16-02-2015	6:49	to 14:51	EL4	維修 / 更換電氣或安全設備	482	
17-02-2015	6:49	to 7:20	EL4	維修 / 更換電梯機械組件	31	
11-03-2015	14:06	to 19:32	EL4	雜物卡進電梯	326	
09-04-2015	7:05	to 10:58	EL4	維修 / 更換電梯機械組件	233	
11-04-2015	6:04	to 11:46	EL4	維修 / 更換電梯機械組件	342	
08-05-2015	11:47	to 13:11	EL4	其他	84	
21-05-2015	6:33	to 8:16	EL4	"緊急停掣"被按	103	
28-05-2015	7:44	to 8:22	EL4	"緊急停掣"被按	38	
01-06-2015	7:25	to 8:30	EL4	檢查 / 調校電氣或安全設備	65	
01-09-2015	7:18	to 17:00	EL4	檢查 / 調校電氣或安全設備	582	
02-09-2015	9:43	to 11:10	EL4	"緊急停掣"被按	87	
03-09-2015	6:46	to 7:57	EL4	維修 / 更換電氣或安全設備	71	
11-09-2015	14:13	to 17:17	EL4	檢查 / 調校電氣或安全設備	184	
13-09-2015	10:37	to 11:43	EL4	"緊急停掣"被按	66	
14-09-2015	15:45	to 0:15	EL4	維修 / 更換電梯機械組件	510	
15-09-2015	6:00	to 15:00	EL4	維修 / 更換電梯機械組件	540	
26-09-2015	6:45	to 8:00	EL4	維修 / 更換電氣或安全設備	75	
26-09-2015	16:55	to 17:45	EL4	"緊急停掣"被按	50	
09-04-2016	6:35	to 7:40	EL4	"緊急停掣"被按	65	3609
03-05-2016	14:00	to 24:15	EL4	其他	1200	
04-05-2016	6:00	to 15:45	EL4	其他	480	
12-05-2016	10:00	to 18:00	EL4	其他	810	
31-05-2016	10:45	to 24:15	EL4	其他	510	
01-06-2016	6:00	to 14:30	EL4	其他	510	
15-06-2016	14:20	to 18:03	EL4	維修 / 更換電梯機械組件	223	
16-06-2016	6:00	to 24:15	EL4	維修 / 更換電梯機械組件	65	
17-06-2016	6:00	to 24:15	EL4	維修 / 更換電梯機械組件	72	
07-08-2016	11:15	to 12:20	EL4	雜物卡進電梯	184	
23-11-2016	17:10	to 18:22	EL4	檢查 / 調校電氣或安全設備	93	
20-01-2017	13:00	to 14:33	EL4	雜物卡進電梯	57	10980
21-03-2017	17:36	to 18:33	EL4	"緊急停掣"被按	75	
21-04-2017	15:59	to 17:14	EL4	"緊急停掣"被按	101	
01-06-2017	20:54	to 22:35	EL4	雜物卡進電梯	80	
09-06-2017	15:00	to 16:20	EL4	雜物卡進電梯	65	
29-07-2017	06:40	to 07:45	EL4	檢查、維修電梯控制線路	5677	
30-07-2017	13:53	to 24:15	EL4	其他	50	
31-07-2017	06:00	to 24:15	EL4	其他	4782	
01-08-2017	06:00	to 24:15	EL4	其他		
02-08-2017	06:00	to 24:15	EL4	其他		
03-08-2017	06:00	to 24:15	EL4	其他		
04-08-2017	06:00	to 17:15	EL4	其他		
09-09-2017	07:15	to 08:05	EL4	"緊急停掣"被按	4782	
14-09-2017	17:33	to 24:15	EL4	其他	4782	
18-09-2017	06:00	to 24:15	EL4	其他	4782	
17-09-2017	06:00	to 24:15	EL4	其他	4782	
16-09-2017	06:00	to 24:15	EL4	其他	4782	
15-09-2017	06:00	to 24:15	EL4	其他	4782	

電梯編號EL4 (餘樂里至高街)

2014年7月至2017年9月維修記錄總表

維修時間(分鐘)	次數
0-30	0
31-60	5
61-240	21
241-1095	16
>1095	1

60分鐘 = 1小時
 240分鐘 = 4小時
 1095分鐘 = 1日運作時間



電梯編號EL5 (第三街至餘樂里)

2014年7月至2017年9月維修記錄總表

每日運作時間：上午六時至晚上十二時十五分

例行檢查：星期二，下午三時十五分至下午四時正

故障日期	故障時間		電梯編號	故障原因	維修時間 (分鐘)	總維修時間 (分鐘)
07-08-2014	12:50	to 19:09	EL5	雜物卡進電梯	379	1904
09-08-2014	19:16	to 21:00	EL5	維修 / 更換電氣或安全設備	104	
12-08-2014	18:40	to 20:46	EL5	維修 / 更換電氣或安全設備	126	
22-08-2014	20:23	to 21:17	EL5	"緊急停掣"被按	54	
28-08-2014	18:53	to 20:30	EL5	"緊急停掣"被按	97	
08-10-2014	12:40	to 15:58	EL5	雜物卡進電梯	198	
01-11-2014	6:37	to 13:39	EL5	"緊急停掣"被按	422	
10-11-2014	16:20	to 17:50	EL5	雜物卡進電梯	90	
20-11-2014	6:35	to 7:25	EL5	"緊急停掣"被按	50	
08-12-2014	14:50	to 16:57	EL5	"緊急停掣"被按	127	
18-12-2014	18:28	to 19:51	EL5	雜物卡進電梯	83	
24-12-2014	10:46	to 12:29	EL5	維修 / 更換電氣或安全設備	103	
26-12-2014	13:32	to 14:43	EL5	雜物卡進電梯	71	
21-01-2015	21:52	to 22:35	EL5	"緊急停掣"被按	43	
26-01-2015	17:00	to 19:19	EL5	雜物卡進電梯	139	
09-02-2015	6:00	to 6:35	EL5	雜物卡進電梯	35	
07-03-2015	11:13	to 14:31	EL5	檢查 / 調校電氣或安全設備	198	
12-03-2015	22:37	to 23:27	EL5	檢查 / 調校電氣或安全設備	50	
16-03-2015	7:22	to 8:10	EL5	檢查 / 調校電氣或安全設備	48	
18-03-2015	12:56	to 14:56	EL5	檢查 / 調校電梯機械組件	120	
16-04-2015	15:22	to 17:00	EL5	檢查 / 調校電氣或安全設備	98	
23-04-2015	17:31	to 18:30	EL5	"緊急停掣"被按	59	
21-01-2015	21:52	to 22:35	EL5	"緊急停掣"被按	43	
26-01-2015	17:00	to 19:19	EL5	雜物卡進電梯	139	
09-02-2015	6:00	to 6:35	EL5	雜物卡進電梯	35	
07-03-2015	11:13	to 14:31	EL5	檢查 / 調校電氣或安全設備	198	
12-03-2015	22:37	to 23:27	EL5	檢查 / 調校電氣或安全設備	50	
16-03-2015	7:22	to 8:10	EL5	檢查 / 調校電氣或安全設備	48	
18-03-2015	12:56	to 14:56	EL5	檢查 / 調校電梯機械組件	120	
16-04-2015	15:22	to 17:00	EL5	檢查 / 調校電氣或安全設備	98	
23-04-2015	17:31	to 18:30	EL5	"緊急停掣"被按	59	
01-05-2015	15:58	to 17:35	EL5	檢查 / 調校電氣或安全設備	97	
01-05-2015	19:42	to 21:30	EL5	檢查 / 調校電氣或安全設備	108	
09-05-2015	19:49	to 21:37	EL5	雜物卡進電梯	108	
08-06-2015	7:00	to 10:01	EL5	檢查 / 調校電氣或安全設備	181	
18-06-2015	15:15	to 17:32	EL5	雜物卡進電梯	137	
18-06-2015	19:10	to 21:31	EL5	"緊急停掣"被按	141	
18-07-2015	10:21	to 11:48	EL5	檢查 / 調校電氣或安全設備	87	
22-08-2015	7:07	to 8:07	EL5	"緊急停掣"被按	60	
02-09-2015	14:46	to 17:06	EL5	檢查 / 調校電氣或安全設備	140	
04-09-2015	19:04	to 21:11	EL5	維修 / 更換電氣或安全設備	127	
11-09-2015	12:50	to 15:40	EL5	檢查 / 調校電氣或安全設備	170	
29-09-2015	19:44	to 21:55	EL5	檢查 / 調校電氣或安全設備	131	
30-09-2015	8:13	to 18:15	EL5	維修 / 更換電梯機械組件	602	
04-10-2015	16:47	to 18:18	EL5	檢查 / 調校電氣或安全設備	91	
05-10-2015	19:00	to 21:23	EL5	"緊急停掣"被按	143	
06-10-2015	21:33	to 22:20	EL5	檢查 / 調校電氣或安全設備	47	
07-10-2015	11:45	to 13:10	EL5	檢查 / 調校電氣或安全設備	85	
26-10-2015	12:56	to 14:33	EL5	檢查 / 調校電氣或安全設備	97	
29-10-2015	14:49	to 17:18	EL5	檢查 / 調校電氣或安全設備	149	
02-11-2015	21:48	to 22:24	EL5	檢查 / 調校電氣或安全設備	36	
06-11-2015	6:39	to 7:07	EL5	"緊急停掣"被按	28	
07-11-2015	6:46	to 7:21	EL5	"緊急停掣"被按	35	
09-12-2015	8:25	to 8:40	EL5	檢查 / 調校電氣或安全設備	15	
19-01-2016	6:48	to 8:08	EL5	"緊急停掣"被按	80	
11-03-2016	20:53	to 22:06	EL5	檢查 / 調校電氣或安全設備	73	
23-03-2016	7:50	to 10:55	EL5	檢查 / 調校電氣或安全設備	185	
27-03-2016	10:47	to 13:06	EL5	檢查 / 調校電氣或安全設備	139	
07-04-2016	15:34	to 16:43	EL5	檢查 / 調校電氣或安全設備	69	
26-04-2016	19:20	to 21:38	EL5	"緊急停掣"被按	138	
28-04-2016	8:42	to 10:23	EL5	檢查 / 調校電氣或安全設備	101	
28-04-2016	19:16	to 20:14	EL5	"緊急停掣"被按	58	
18-05-2016	17:36	to 24:15	EL5	維修 / 更換電梯機械組件	299	

電梯編號EL5 (第三街至餘樂里)

2014年7月至2017年9月維修記錄總表

日期	時間	to	時間	類別	維修 / 更換電梯機械組件	次數	總計
19-05-2016	6:00	to	14:00				2106
23-05-2016	22:53	to	23:20	EL5	檢查 / 調校電氣或安全設備	27	
05-06-2016	14:01	to	15:27	EL5	雜物卡進電梯	86	
27-07-2016	12:30	to	13:48	EL5	檢查 / 調校電氣或安全設備	78	
30-07-2016	22:42	to	23:15	EL5	檢查 / 調校電氣或安全設備	33	
01-09-2016	20:50	to	21:42	EL5	"緊急停掣"被按	52	
22-10-2016	13:05	to	19:49	EL5	檢查 / 調校電氣或安全設備	404	
21-11-2016	6:58	to	7:39	EL5	檢查 / 調校電氣或安全設備	41	
14-12-2016	6:40	to	8:10	EL5	"緊急停掣"被按	90	
22-12-2016	22:37	to	23:30	EL5	雜物卡進電梯	53	
19-01-2017	11:00	to	13:08	EL5	雜物卡進電梯	128	3924
22-01-2017	15:17	to	16:23	EL5	雜物卡進電梯	66	
03-03-2017	10:18	to	11:58	EL5	雜物卡進電梯	100	
20-04-2017	8:37	to	10:05	EL5	雜物卡進電梯	88	
24-05-2017	10:50	to	13:06	EL5	"緊急停掣"被按	136	
23-06-2017	8:34	to	9:49	EL5	"緊急停掣"被按	75	
27-06-2017	8:16	to	10:00	EL5	"緊急停掣"被按	104	
09-07-2017	07:58	to	09:28	EL5	"緊急停掣"被按	90	
16-07-2017	08:31	to	10:46	EL5	雜物卡進電梯	135	
29-07-2017	06:40	to	07:45	EL5	檢查、維修電梯控制線路	65	
12-08-2017	07:11	to	09:41	EL5	雜物卡進電梯	150	
17-08-2017	14:03	to	15:51	EL5	"緊急停掣"被按	108	
18-08-2017	08:47	to	11:43	EL5	雜物卡進電梯	176	
30-08-2017	08:10	to	10:07	EL5	檢查 / 調校電氣或安全設備	117	
02-09-2017	15:00	to	15:51	EL5	"緊急停掣"被按	51	
05-09-2017	06:35	to	08:35	EL5	"緊急停掣"被按	120	
15-09-2017	07:05	to	08:51	EL5	"緊急停掣"被按	106	
19-09-2017	07:05	to	07:55	EL5	"緊急停掣"被按	50	
25-09-2017	20:30	to	22:07	EL5	"緊急停掣"被按	97	

維修時間(分鐘)	次數
0-30	3
31-60	21
61-240	50
241-1095	5
>1095	0

60分鐘 = 1小時

240分鐘 = 4小時

1095分鐘 = 1日運作時間

電梯編號EL5 (第三街至餘樂里)
2014年7月至2017年9月維修記錄總表

