

Fourth Meeting of the Housing & Environmental Hygiene Committee
Sai Kung District Council in the Year 2017

Date: 13 July 2017 (Thursday)
Time: 9:30 a.m.
Venue: Conference Room of the Sai Kung District Council
3/F, Sai Kung Tseung Kwan O Government Complex
38 Pui Shing Road, Hang Hau, Tseung Kwan O

Agenda

- I. Confirmation of Minutes of the Third Meeting of HEHC in 2017**
(9:30a.m. – 9:35a.m.)
- II. FEHD Second Phase of Anti-rodent Campaign 2017 in Sai Kung District**
[SKDC(HEHC) Paper No. 82/17]
(9:35a.m. – 9:45a.m.)
- III. Working Groups under the HEHC**
[SKDC(HEHC) Paper No. 83/17]
(9:45a.m. – 9:55a.m.)
- IV. Environmenatal, Hygiene and related matters**
 - (A) Matters Arising (Environmental, Hygiene and related matters)**
(9:55a.m. – 10:30a.m.)
 - (1) FEHD The Strategies and Work of Improving the Environmental Hygiene of Hong Kong and District Action Plan
 - (2) FEHD Anti-mosquito Campaign 2017 (Phase II) in Sai Kung District
 - (3) Request to promptly install noise barriers or pave low noise surfacing material for the busy road sections that are close to the estates in Tseung Kwan O
 - (4) Issues related to the operation of Temporary Fill Bank at Tseung Kwan O Area 137 and the South East New Territories Landfill
[SKDC(HEHC) Paper No. 84/17]
[SKDC(HEHC) Paper No. 85/17]
 - (5) Statistics on Environmental Hygiene Service and Itinerant Hawkers in Sai Kung District
[SKDC(HEHC) Paper No. 86/17]
[SKDC(HEHC) Paper No. 87/17]

- (6) Strongly request to provide an exact relocation date of the waste recycling yards at Wan Po Road which has been causing nuisance to residents
[SKDC(HEHC) Paper No. 88/17]
- (7) Request for stepping up the cleaning work of the noise barriers along the Tseung Kwan O Road, Tseung Kwan O Tunnel Road and Wan Po Road to ensure public environmental hygiene
[SKDC(HEHC) Paper No. 89/17]
- (8) Request for following up on the environmental hygiene problems on the hillsides opposite Kin Ming Estate
[SKDC(HEHC) Paper No. 90/17]
- (9) Request for clearing the blockages in the channels in the Sai Kung District and pruning the branches of trees and weeds that are too long to prevent the accumulation of stagnant water in rainy season which is favourable to the breeding of mosquitoes
[SKDC(HEHC) Paper No. 91/17]
- (10) Request for improving the operation of the sewage treatment plant in Shek Kok Road, and speeding up the construction of green walls
- (11) Request the Environmental Protection Department to step up inspections in the Industrial Estate and the Landfill to find out whether there is any illegal discharge of wastewater into the communal storm water drains
- (12) Request for enhancing the prevention and inspection on the mosquito, biting midge and rodent infestation situations in the district and making improvement to such infestations
Urge to further improving the infestation of mosquitoes and other environmental hygiene problems in the site identified for constructing the town park in Area 66 and 68 in Tseung Kwan O South, the Area 67 and the government lands in the vicinity of Chi Shin Street
[SKDC(HEHC) Paper No. 92/17]
- (B) 3 Motions Presented by the Members (Environmental, Hygiene and related matters)**
(10:30a.m. – 11:00a.m.)
- (1) Request for Concern about the cleaning of the road section between exit B of the Po Lam Station of the MTR and the King Lam Estate, and request for carrying out cleaning work on that road section promptly
[SKDC(HEHC) Paper No. 93/17]

- (2) Request for conducting full investigation into the muddy water found in the waters off the Tseung Kwan O Industrial Estate and Tiu Keng Leng, and the recent odour in Tseung Kwan O
[SKDC(HEHC) Paper No. 94/17]
- (3) Request the Sai Kung District Environmental Hygiene Office to seriously handle the problem of illegal hawking on vehicles in Tong Chun Street and Chi Shin Street, so as to reduce the nuisance caused to residents
[SKDC(HEHC) Paper No. 95/17]
- (C) **Question Presented by the Members (Environmental, Hygiene and related matters)**
(11:00a.m. – 11:10a.m.)
- (1) Request the Environmental Protection Department to explain the criteria for granting the “construction noise permit” for holidays
[SKDC(HEHC) Paper No. 96/17]

V. Public Housing and related matters

- (A) **Matters Arising (Public Housing and related matters)**
(11:10a.m. – 11:25a.m.)
- (1) Request to promptly solve the congestion problem of the access at Kin Ming Estate and to install elevator or escalator at an appropriate location
[SKDC(HEHC) Paper No. 97/17]
- (2) Request to install digital monitoring system (“sky eye”) at Shin Ming Estate, Sheung Tak Estate and Kin Ming Estate
[SKDC(HEHC) Paper No. 98/17]
- (3) Situation Report on Itinerant Hawkers
Urge government departments to coordinate in solving the problem of itinerant hawkers in Tseung Kwan O
[SKDC(HEHC) Paper No. 99/17]
- (4) Strongly request the Housing Department to check the rooftop transmitters in Sheung Tak Estate to safeguard the health of the residents
- (B) **2 Motions Presented by the Members (Public Housing and related matters)**
(11:25a.m. – 11:45a.m.)

- (1) Request for repaving the floor tiles on the covered walkway of Sheung Chun House in Sheung Tak Estate promptly, and conducting a comprehensive review on the condition of other walkways, and repaving the road surfaces of the walkways that have such need in phases
[SKDC(HEHC)Paper No. 100/17]

- (2) Suggest reserving sites for elderly facilities in future public housing
[SKDC(HEHC)Paper No. 101/17]

(C) Question Presented by the Members (Public Housing and related matters)
(11:45a.m. – 11:55a.m.)

- (1) Complaint about the accumulation of water on the floor caused by the fact that the temperature of the air-conditioner of the flat below was set too low
[SKDC(HEHC)Paper No. 102/17]

(D) Motion Referred by SKDC SSHSCC Meeting
(11:55a.m. – 12:05p.m.)

- (1) Issues related to the fitness equipment in Kin Ming Estate of Tseung Kwan O
[SKDC(HEHC)Paper No. 103/17]

VI. Other Matters

(A) Matters Arising (Other matters)
(12:05p.m. – 12:20p.m.)

- (1) Improvement works at the wet market at Hau Tak Estate
- (2) Request for installing a passenger lift and replacing the existing passenger-goods lift with a new one in the Sai Kung Market
- (3) Request for the early introduction of more efficient methods for detecting water seepage in buildings so as to obviate the suffering of the residents promptly
The progress on the improvement to the investigation methods made by the Joint Offices for Investigation of Water Seepage Complaints
[SKDC(HEHC) Paper No. 104/17]
- (4) Restored Landfill Revitalisation Funding Scheme

VII. Any Other Business
(12:20p.m. – 12:25p.m.)

VIII. Date of Next Meeting
(12:25p.m. – 12:30p.m)

- (Remarks: (1) Each member may participate for a maximum of two times in the discussion of every single item and the duration for each speech is limited to two minutes.
- (2) The schedule for the items in the Agenda is an estimate only. The actual times will depend on the progress of the meeting.)

Housing & Environmental Hygiene Committee
Sai Kung District Council
5 July 2017

Ref: () in HAD SKDC 13/30/3/1 Pt.5