

Islands District Council
Agenda for the District Facilities Management Committee Meeting
離島區議會
地區設施管理委員會會議議程

Date : 16 July 2018 (Monday)
日期 : 2018 年 7 月 16 日(星期一)
Time : 2:00 p.m.
時間 : 下午 2 時正
Venue : Islands District Council Conference Room,
14/F, Harbour Building, 38 Pier Road, Central, Hong Kong
地點 : 香港中環統一碼頭道 38 號海港政府大樓 14 字樓
離島區議會會議室

- I. Confirmation of minutes of the meeting held on 14.5.2018
通過 2018 年 5 月 14 日的會議記錄
- II. Question on water dispenser in Discovery Bay Community Hall
(Paper DFMC 16/2018)
有關愉景灣社區會堂飲水機的提問
(文件 DFMC 16/2018 號)
- III. Question on drainage problem in the vicinity of the stilt house area, Sun Ki, Tai O
(Paper DFMC 20/2018)
有關大澳新基棚屋區附近地區的排水問題的提問
(文件 DFMC 20/2018 號)
- IV. Question on request for restoring the idle grassland behind North Lantau Hospital (Area 22)
for use as temporary open space
(Paper DFMC 21/2018)
有關要求修葺北大嶼山醫院後面(第 22 區)荒廢草地作臨時休憩用地的提問
(文件 DFMC 21/2018 號)
- V. Proposed District Minor Works Projects for District Facilities Management Committee in
2018/2019
(Paper DFMC 22/2018)
2018/2019 年度擬議由地區設施管理委員會推行的地區小型工程
(文件 DFMC 22/2018 號)

- VI. Third Batch of District Minor Works Projects proposed by Leisure and Cultural Services Department for 2018/19
(Paper DFMC 17/2018)
2018/19 年度康樂及文化事務署擬議的第三批地區小型工程計劃
(文件 DFMC 17/2018 號)
- VII. Report on the management of Leisure and Cultural Services Department's recreational and sports facilities in Islands District (April and May 2018)
(Paper DFMC 18/2018)
康樂及文化事務署離島區康體設施管理匯報 (2018 年 4 月至 5 月)
(文件 DFMC 18/2018 號)
- VIII. Report on the Services of the Public Libraries in Islands District by the Leisure and Cultural Services Department between April and May 2018
(Paper DFMC 19/2018)
康樂及文化事務署於 2018 年 4 月至 5 月離島區公共圖書館服務情況
(文件 DFMC 19/2018 號)
- IX. Utilisation and improvement works of Community Halls in Islands District
離島區社區會堂使用情況及改善工程
- X. Progress report on DC-funded District Minor Works Projects
(Paper DFMC 23/2018)
獲通過由區議會撥款推行的地區小型工程進度報告
(文件 DFMC 23/2018 號)
- XI. Any Other Business
其他事項
- XII. Date of Next Meeting
下次會議日期