

Sai Kung District Council
District Facilities and Works Committee
Agenda of the Fourth Meeting in 2025

Date: 15 July 2025 (Tuesday)
Time: 10:00 a.m.
Venue: Conference Room of the Sai Kung District Council
3/F, Sai Kung Tseung Kwan O Government Complex
38 Pui Shing Road, Hang Hau, Tseung Kwan O

Agenda

- I. Confirmation of Minutes of the 3rd DFWC Meeting in 2025 held on 13 May 2025
(10:00 a.m. – 10:05 a.m.)
- II. Report Items
(10:05 a.m. – 10:35 a.m.)
 - (A) Report on management of recreation and sports facilities in Sai Kung District from May to June 2025 by the Leisure and Cultural Services Department
(SKDC(DFWC) Paper No. 36/25)
 - (B) Report on community halls/ community centre/ activity centre in Sai Kung District
(SKDC(DFWC) Paper No. 37/25)
 - (C) Landslip Prevention and Mitigation Programme - Works progress in Sai Kung District
(SKDC(DFWC) Paper No. 38/25)
- III. Discussion Items Suggested by Members
(10:35 a.m. – 11:15 a.m.)
 - (A) Suggest extending the current enhancement mechanism by allocating more public rental housing units in Tseung Kwan O to applicants residing in Tseung Kwan O or with elderly/ young family members residing in Tseung Kwan O
(SKDC(DFWC) Paper No. 39/25)
 - (B) Suggest enhancing road surfaces within Sai Kung and Tseung Kwan O to create a more comfortable and safe road environment
(SKDC(DFWC) Paper No. 40/25)

- (C) Suggest providing covered benches and bicycle parking spaces on the pavement of Shek Kok Road (opposite the sewage treatment works)
(SKDC(DFWC) Paper No. 41/25)
- (D) Suggest shortening the duration of escalator replacement works at Metro Town Shopping Mall
(SKDC(DFWC) Paper No. 42/25)

IV. Any Other Business
(11:15 a.m. – 11:20 a.m.)

V. Date of Next Meeting

(Remarks: The time allotted for the agenda items is based on estimate only and the actual time will depend on the progress of the meeting.)

c.c. Representatives of government departments in attendance at the meeting

District Facilities and Works Committee
Sai Kung District Council
7 July 2025

Ref: () in HAD SK DC 13/30/12/1